

**Prävention mit Kopf**  
Ihr starker Partner in schweren Zeiten.



# FFP3 mit Ventil

Telefon: +49211/781 - 7511191  
Telefax : +49211/781 - 7511191  
Email: [info@praeventionmitkopf.de](mailto:info@praeventionmitkopf.de)  
[www.praeventionmitkopf.de](http://www.praeventionmitkopf.de)

**Prävention-mit-Kopf GmbH**  
DE- Grafenberger Allee 277-287 40237 Düsseldorf  
HRB 27734- Amtsgericht Koblenz  
Rechtsform: Gesellschaft m.b.H

**Commerzbank**  
IBAN: DE73570400440204493100  
BIC: COBADEFFXXX  
USt.-IdNr. DE337526020

# PRODUKTBILDER



Telefon: +49211/781 - 7511191  
Telefax : +49211/781 - 7511191  
Email: [info@praeventionmitkopf.de](mailto:info@praeventionmitkopf.de)  
[www.praeventionmitkopf.de](http://www.praeventionmitkopf.de)

**Prävention-mit-Kopf GmbH**  
DE- Grafenberger Allee 277-287 40237 Düsseldorf  
HRB 27734- Amtsgericht Koblenz  
Rechtsform: Gesellschaft m.b.H

**Commerzbank**  
IBAN: DE73570400440204493100  
BIC: COBADEFFXXX  
USt.-IdNr. DE337526020



## MFA P-367 and P-367V

### DISPOSABLE PARTICULATE RESPIRATORS

Respiratory Mask for Protection Against  
Low Level Hazardous Solid and Water Based Aerosols  
**Class: FFP3**

# TECHNICAL DATASHEET

## PRACTICAL PERFORMANCE RESULTS

High Filtration  
Low Breathing Resistance.

|                              |                 |                             |
|------------------------------|-----------------|-----------------------------|
| Sodium Chloride Penetration* | Requirement**   | <b>42%</b><br>Better Result |
| <b>0,578 %</b>               | <b>≤ 1 %</b>    |                             |
| Paraffin Penetration***      | Requirement**   | <b>37%</b><br>Better Result |
| <b>0,63 %</b>                | <b>≤ 1 %</b>    |                             |
| Inhalation Resistance****    | Requirement**   | <b>66%</b><br>Better Result |
| <b>103,40 Pa</b>             | <b>≤ 300 Pa</b> |                             |
| Exhalation Resistance*****   | Requirement**   | <b>54%</b><br>Better Result |
| <b>139 Pa</b>                | <b>≤ 300 Pa</b> |                             |

\* Average of Test Results of Penetration for Sodium Chloride  
(Flow Rate % 1.6 dm<sup>3</sup> s<sup>-1</sup>)

\*\* Requirements in accordance with EN 149:2001 + A1: 2009

\*\*\* Average of Test Results of Penetration for Paraffin Oil Mist  
(Flow Rate % 1.6 dm<sup>3</sup> s<sup>-1</sup>)

\*\*\*\* Average of Test Results of Inhalation Resistance  
(Flow rate 1,6 dm<sup>3</sup> s<sup>-1</sup>)

\*\*\*\*\* Average of Test Results of Exhalation Resistance  
(Flow rate 2,7 dm<sup>3</sup> s<sup>-1</sup>)

### Materials

|                 |                               |
|-----------------|-------------------------------|
| Straps          | : Natural Rubber and PET      |
| Staples         | : Steel                       |
| Nose Foam       | : Polyurethane                |
| Nose Clip       | : Steel is planting with zinc |
| Filter          | : Polypropylene               |
| Layers          | : Polypropylene               |
| Valve           | : Polypropylene               |
| Valve Diaphragm | : Natural Rubber              |

### Approval

Our disposable particulate respirators has been tested and certificated by the CIOP-PIB, Notified Body of the European Community (Number 1437). The filtering half masks produced true the relevant EU directives 89/686/EEC by European Union, standards from EN 149: 2001 + A1: 2009 FFP3 NR D and CE marked.

Designations:

NR = Non Reusable (Single Shift Use Only)

D = Meets The Clogging Resistance Requirements

### Certificates


CE EN 149:2001+A1:2009 NR D

ISO 9001:2008 Quality Management System

## FEATURES / Product Description

The Eagle has a fantastic anatomical structure. The shape and size of the Eagle's wings work with the air currents to keep the Eagle flying high. The anatomical structure of the eagle has been the main source of inspiration for the geometric shape of MFA P Series Respirator. The MFA Team is dedicated to producing premium well designed respirators with structural distinction and lasting comfort.

### 7 different dynamic points which provide **excellent fitting**



- ① The mouth area is square-shaped with a strong structure and a large internal space.
  - ② The right wing will automatically shape to the face structure of the wearer.
  - ③ The left wing will automatically shape to the face structure of the wearer.
  - ④ The nose area is designed to be very flexible and it is compatible with all nose shapes and sizes.
  - ⑤ The upper right part automatically shapes to the temporal bone of the wearer.
  - ⑥ The upper left part automatically shapes to the temporal bone of the wearer.
  - ⑦ The chin section shapes itself to the chin structure of the wearer.
- The 7 dynamic parts of the mask provide excellent facial movement with maximum comfort
  - Foaming located on the inside of the mask provides comfort on the skin and nose
  - Specially designed nose clip which keeps its flexibility even after prolonged usage and fits any nose shape or size
  - The balance between the flexibility and pressure of the knitted headbands makes for increased comfort. They also will not lose flexibility or pressure in hot or cold working conditions
  - Specially designed exhalation valves (MODEL P-367V) work efficiently to reduce the heat inside the mask and provides comfortable use in hot and humid conditions
  - Dolomite dust test certified can provide protection for a minimum of 8 hours
  - Has high filtration, low breathing resistance and is easy to store
  - Does not cause skin irritation
  - Comfortable and easy to use for workers with a wide variety of work security equipment such as helmets, safety glasses, ear plugs etc.

### WHAT IS DOLOMITE DUST TEST?

This is an optional performance test defined in EN 149: 2001+A1:2009 standard. It demonstrates that the mask provides efficient protection for minimum 8 hours. The masks passing this test bear "D" marking (e.g. FFP3 D). Choose the masks with "D" marking while purchasing them and make sure that your mask can be used safely for minimum 8 hours.

# EU Type Examination Certificate

This is to certify that:

MFA Is Guvenligi Medikal Tekstil  
Imalat Tic. San. Ltd. Sti.  
Ahmet Taner Kislali Cad.  
Caydamar Mah. Zigem No:9/A  
Zonguldak  
Zonguldak  
67020  
Turkey

Holds Certificate Number:

CE 688360

In respect of:

**Filtering masks to EN 149:2001+A1:2009**  
**Various models, see continuation sheet for details.**

on the basis that BSI carried out the relevant Type Examination procedures under the requirements with the Regulation (EU) 2016/425 of the European Parliament and Council relating to Personal Protective Equipment Regulation (PPE) Annex V (Module B) and meets the relevant health and safety requirements specified in Annex II

For and on behalf of BSI, a Notified  
Body for the above Regulation  
(Notified Body Number 2797):

Previous Notified Body: BSI 0086

First Issued: 2018-07-16

Latest Issue: 2020-03-31



Drs. Dave Hagenaaars, Managing Director

Effective Date: 2020-03-31

Expiry Date: 2023-07-16

Page: 1 of 10



...making excellence a habit.™

# EU Type Examination Certificate

No. CE 688360

## Product Specification

### Vertical Fold Flat Range with clogging

**Description:** **A- Series - Vertical fold flat disposable face mask with clogging option 7.17**

**Technical specification:** **EN 149:2001+A1:2009** Respiratory protective devices – Filtering half masks to protect against particles.  
Classification –Single shift NR

**FFP Class:** **FFP1 NR D**

**Models:**  
A-167  
A-167V (mask with exhalation valve fitted)  
A-167V-E (mask with exhalation valve fitted)

**FFP Class:** **FFP2 NR D**

**Models:**  
A-267  
A-267V (mask with exhalation valve fitted)

**FFP Class:** **FFP3 NR D**

**Models:**  
A-367  
A-367V (mask with exhalation valve fitted)

First Issued: 2018-07-16

Latest Issue: 2020-03-31

Effective Date: 2020-03-31

Expiry Date: 2023-07-16

Page: 2 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 688360

## Product Specification (continued)

**Description:** **C- Series - Vertical fold flat disposable face mask with clogging option 7.17**

**Technical specification:** **EN 149:2001+A1:2009** Respiratory protective devices – Filtering half masks to protect against particles.  
Classification – Single shift NR

**FFP Class:** **FFP1 NR D**

**Models:**  
C-067  
C-067V (mask with exhalation valve fitted)  
C-167  
C-167V (mask with exhalation valve fitted)

**FFP Class:** **FFP2 NR D**

**Models:**  
C-267  
C-267V (mask with exhalation valve fitted)  
C-267-AC (mask with activated charcoal)  
C-267V-AC (mask with activated charcoal and exhalation valve fitted)

**FFP Class:** **FFP3 NR D**

**Model:** C-367V (mask with exhalation valve fitted)

First Issued: 2018-07-16

Latest Issue: 2020-03-31

Effective Date: 2020-03-31

Expiry Date: 2023-07-16

Page: 3 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 688360

## Product Specification (Continued)

**Description:** **F - Series – Conical Type disposable face mask with clogging option 7.17**

**Technical specification:** **EN 149:2001+A1:2009** Respiratory protective devices – Filtering half masks to protect against particles.  
Classification – Single shift NR

**FFP Class:** **FFP1 NR D**

**Models:** F-167  
F-167V (mask with exhalation valve fitted)

**FFP Class:** **FFP2 NR D**

**Models:** F-267  
F-267V (mask with exhalation valve fitted)  
F-267-AC (mask with activated charcoal)  
F-267V-AC (mask with activated charcoal and exhalation valve fitted)

First Issued: 2018-07-16

Latest Issue: 2020-03-31

Effective Date: 2020-03-31

Expiry Date: 2023-07-16

Page: 4 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 688360

## Product Specification (Continued)

|                                 |                                                                                                                                                    |                                                             |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| <b>Description:</b>             | <b>P - Series - Vertical fold flat disposable face mask with clogging option 7.17</b>                                                              |                                                             |
| <b>Technical specification:</b> | <b>EN 149:2001+A1:2009</b> Respiratory protective devices – Filtering half masks to protect against particles.<br>Classification – Single shift NR |                                                             |
| <b>FFP Class:</b>               | <b>FFP1 NR D</b>                                                                                                                                   |                                                             |
| <b>Models:</b>                  | P-167                                                                                                                                              |                                                             |
|                                 | P-167V                                                                                                                                             | (mask with exhalation valve fitted)                         |
|                                 | P-167-AC                                                                                                                                           | (mask with activated charcoal)                              |
|                                 | P-167V-AC                                                                                                                                          | (mask with activated charcoal and exhalation valve fitted)  |
|                                 | P-167V-E                                                                                                                                           | (mask with exhalation valve fitted)                         |
|                                 | P-167V-AC-E                                                                                                                                        | (mask with activated charcoal and exhalation valve fitted)  |
| <b>FFP Class:</b>               | <b>FFP2 NR D</b>                                                                                                                                   |                                                             |
| <b>Models:</b>                  | P-267                                                                                                                                              |                                                             |
|                                 | P-267V                                                                                                                                             | (mask with exhalation valve fitted)                         |
|                                 | P-267-AC                                                                                                                                           | (mask with activated charcoal)                              |
|                                 | P-267V-AC                                                                                                                                          | (mask with activated charcoal and exhalation valve fitted)  |
|                                 | P-267V-E                                                                                                                                           | (mask with exhalation valve fitted)                         |
|                                 | P-267V-AC-E                                                                                                                                        | (mask with activated charcoal and exhalation valve fitted)  |
| <b>FFP Class:</b>               | <b>FFP3 NR D</b>                                                                                                                                   |                                                             |
| <b>Models:</b>                  | P-367                                                                                                                                              |                                                             |
|                                 | P-367-S                                                                                                                                            | (mask is smaller in size than the original model P-367)     |
|                                 | P-367V                                                                                                                                             | (mask with exhalation valve fitted)                         |
|                                 | P-367V-S                                                                                                                                           | (mask is smaller in size than the original model P-367V)    |
|                                 | P-367V-E                                                                                                                                           | (mask with exhalation valve fitted)                         |
|                                 | P-367V-AC                                                                                                                                          | (mask with activated charcoal and exhalation valve fitted)  |
|                                 | P-367V-AC-S                                                                                                                                        | (mask is smaller in size than the original model P-367V-AC) |

First Issued: 2018-07-16

Latest Issue: 2020-03-31

Effective Date: 2020-03-31

Expiry Date: 2023-07-16

Page: 5 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 688360

## Product Specification (Continued)

**Description:** **S - Series – Conical type disposable face mask with clogging option 7.17**

**Technical specification:** **EN 149:2001+A1:2009** Respiratory protective devices – Filtering half masks to protect against particles.  
Classification – Single shift NR

**FFP Class:** **FFP1 NR D**

**Models:** S-167  
S-167V (mask with exhalation valve fitted)

**FFP Class:** **FFP2 NR D**

**Models:** S-267  
S-267V (mask with exhalation valve fitted)  
S-267-AC (mask with activated charcoal)  
S-267V-AC (mask with activated charcoal and exhalation valve fitted)

**FFP Class:** **FFP3 NR D**

**Models:** S-367V (mask with exhalation valve fitted)  
S-367V-AC (mask with activated charcoal and exhalation valve fitted)

First Issued: 2018-07-16

Latest Issue: 2020-03-31

Effective Date: 2020-03-31

Expiry Date: 2023-07-16

Page: 6 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 688360

## Product Specification (Continued)

**Description:** **SR- Series – Conical type disposable face mask with clogging option 7.17**

**Technical specification:** **EN 149:2001+A1:2009** Respiratory protective devices – Filtering half masks to protect against particles.  
Classification – Reusable R

**FFP Class:** **FFP2 R D**

**Models:** SR-S-267V (mask with exhalation valve fitted)  
SR-S-267V-AC (mask with activated charcoal and exhalation valve fitted)

First Issued: 2018-07-16

Latest Issue: 2020-03-31

Effective Date: 2020-03-31

Expiry Date: 2023-07-16

Page: 7 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 688360

**Description:** **Z- Series - Vertical fold flat disposable face mask with clogging option 7.17**

**Technical specification:** **EN 149:2001+A1:2009** Respiratory protective devices – Filtering half masks to protect against particles.  
Classification – Single shift - NR

**FFP Class:** **FFP1 NR D**

**Models:** Z-167  
Z-167V (mask with exhalation valve fitted)

**FFP Class:** **FFP2 NR D**

**Models:** Z-267  
Z-267V (mask with exhalation valve fitted)



First Issued: 2018-07-16

Latest Issue: 2020-03-31

Effective Date: 2020-03-31

Expiry Date: 2023-07-16

Page: 8 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 688360

**Description:** **NFK- Series – Conical type disposable face mask with clogging option 7.17**

**Technical specification:** **EN 149:2001+A1:2009** Respiratory protective devices – Filtering half masks to protect against particles.  
Classification – Single shift - NR

**FFP Class:** **FFP2 NR D**

**Models:**  
NFK-200  
NFK-201 (mask with exhalation valve fitted)  
Q-267V (mask with exhalation valve fitted)

First Issued: 2018-07-16

Latest Issue: 2020-03-31

Effective Date: 2020-03-31

Expiry Date: 2023-07-16

Page: 9 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# EU Type Examination Certificate

No. CE 688360

## Certificate Administration Details

**Technical File Reference:** A - Series: Particle Filtering Half Masks TF1702  
C - Series: Particle Filtering Half Masks TF1701  
F - Series: Particle Filtering Half Masks TF1704  
P - Series: Particle Filtering Half Masks TF1703  
S - Series: Particle Filtering Half Masks TF1705  
Z - Series: Particle Filtering Half Masks TF1706  
NFK Series: Particle Filtering Half Masks TF1707

## Certificate Amendment Record

| Issue date    | Comments                                                                                                                                                                                  | BSI Internal Project No. |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| May 2019      | Addition of models P-367V-AC and S-367V-AC                                                                                                                                                | 0086:19:9734754          |
| February 2019 | Addition of models A-167, A-267, A-267V, F-267, P-167-AC, P-167V-AC-E, P-267-AC, P-267C-AC-E, P-267V-E, P-367, P-367V-E, S-367V, SR-S-267V, SR-S-267V-AC, Z-167, Z-167V, Z-267 and Z-267V | 0086:19:9642451          |
| July 2018     | First issue. Series A, C, F, P, S and Z.                                                                                                                                                  | 0086:18:8888457          |
| March 2020    | Additional models NFK-200, NFK-201 and Q-267V                                                                                                                                             | 2797:20:9759736          |
| March 2020    | Additional models: P-367-S, P-367V-S and P-367V-AC-S.                                                                                                                                     | 2797:20:3100936          |

## Certificate validity

The Certificate holder is responsible for ensuring that the Notified Body is advised of changes to any aspect of the overall processes utilised in the manufacture of the product, failure to do so could invalidate the Certificate in respect of product manufactured following the introduction of such changes.

## Monitoring of manufactured PPE

The validity of the Certificate for the products is also dependent on the maintenance of the EU Conformity to Type Based on Quality Assurance of the Production Process, Annex VIII (Module D), as referenced on BSI issued Certificate CE 688435.

First Issued: 2018-07-16

Effective Date: 2020-03-31

Latest Issue: 2020-03-31

Expiry Date: 2023-07-16

Page: 10 of 10

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

# Conformity to Type based on Quality Assurance of the Production Process

This is to certify that:

MFA Is Guvenligi Medikal Tekstil  
Imalat Tic. San. Ltd. Sti.  
Ahmet Taner Kislali Cad.  
Caydamar Mah. Zigem No:9/A  
Zonguldak  
Zonguldak  
67020  
Turkey

Holds Certificate Number:

CE 688435

In respect of:

**For the manufacture of RPE to the standards listed on the continuation sheet.**


on the basis that BSI carried out the quality assurance assessment under the requirements with the Regulation (EU) 2016/425 of the European Parliament and Council relating to Personal Protective Equipment Regulation (PPE) Annex VIII (Module D)

For and on behalf of BSI, a Notified  
Body for the above Regulation  
(Notified Body Number 2797):

Previous Notified Body: BSI 0086

First Issued: 2018-05-11

Latest Issue: 2019-10-24



Drs. Dave Hagenaaars, Managing Director

Effective Date: 2019-10-24

Expiry Date: 2023-05-11

Page: 1 of 3



...making excellence a habit.™

# Conformity to Type based on Quality Assurance of the Production Process

No. CE 688435

## PPE Module D Certificate holding location:

## Manufacturing Site:

MFA Is Guvenligi Medikal  
Tekstil Imalat Tic. San. Ltd. Sti  
Caydamar Mah  
Ahmet kislali Cad  
Zigem No:9/A  
Zonguldak  
67020  
Turkey

MFA Is Guvenligi Medikal  
Tekstil Imalat Tic. San. Ltd. Sti  
Caydamar Mah  
Ahmet kislali Cad  
Zigem No:9/A  
Zonguldak  
67020  
Turkey

## Product Specification

The products are covered by the scope of this Module D certificate, conform to the following standards:

### Standard

### Product Type

EN 136:1998/AC:2003

Respiratory protective devices – Full face masks.

EN 140:1998/AC:1999

Respiratory protective devices – Half masks and quarter masks.

EN 143:2000/A1:2006

Respiratory protective devices – Particle filters.

EN 149:2001+A1:2009

Respiratory protective devices – Filtering half masks to protect against particles.

BS EN 14387:2004+A1:2008

Respiratory protective devices – Gas filter(s) and combined filter(s).

First Issued: 2018-05-11

Effective Date: 2019-10-24

Latest Issue: 2019-10-24

Expiry Date: 2023-05-11

Page: 2 of 3

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.


# Conformity to Type based on Quality Assurance of the Production Process

No. CE 688435

## Certificate Amendment Record

| Issue date     | Comments                                                                                              | BSI Project Number |
|----------------|-------------------------------------------------------------------------------------------------------|--------------------|
| September 2019 | Addition of standards EN 136:1998+AC: 1999, BS EN 140:1999, BS EN 143:2000 & BS EN 14387:2004+A1:2008 | 0086:19:9783670    |
| April 2018     | First Issue                                                                                           | 0086:18:8889024    |

**Note:** The Certificate Holder is responsible for keeping the Notified Body advised of changes to any aspect of the overall process in the manufacture of the product.



First Issued: 2018-05-11  
Latest Issue: 2019-10-24

Effective Date: 2019-10-24  
Expiry Date: 2023-05-11

Page: 3 of 3

This certificate has been issued by and remains the property of BSI Group The Netherlands B.V., John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands and should be returned immediately upon request.  
To check its validity telephone +31 20 3460780. An electronic certificate can be authenticated [online](#).

BSI Group The Netherlands B.V., registered in the Netherlands under number 33264284, at John M. Keynesplein 9, 1066 EP Amsterdam, The Netherlands  
A member of BSI Group of Companies.

(FR) DÉCLARATION UE DE CONFORMITÉ  
 (EN) EU DECLARATION OF CONFORMITY  
 (NL) EU-CONFORMITEITSVERKLARING  
 (DE) EU-KONFORMITÄTSEKTLÄRUNG  
 (ES) DECLARACIÓN UE DE CONFORMIDAD  
 (IT) DICHIARAZIONE DI CONFORMITÀ UE  
 (PL) DEKLARACJA ZGODNOŚCI UE  
 (RO) DECLARAȚIA DE CONFORMITATE UE

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>1.</p> <p>EPI<br/>PPE<br/>PBM<br/>PSA<br/>EPI<br/>DPI<br/>ŚOI<br/>EIP</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <p>A-167, A-167V, A-167V-E, A-267, A-267V, A-367, A-367V, C-067, C-067V, C-167, C-167V, C-267, C-267V, C-267-AC, C-267V-AC, C-367V, F-167, F-167V, F-267, F-267V, F-267-AC, F-267V-AC, P-167, P-167V, P-167-AC, P-167V-AC, P-167V-E, P-167V-AC-E, P-267, P-267V, P-267-AC, P-267V-AC, P-267V-E, P-267V-AC-E, P-367, P-367V, P-367V-E, P-367V-AC - P-367-S, P-367V-S, P-367V-AC-S, S-167, S-167V, S-267, S-267V, S-267-AC, S-267V-AC, S-367V, S-367V-AC, SR-267V, SR-267V-AC</p> |
| <p>2. Nom et adresse du fabricant<br/>       Name and address of the manufacturer<br/>       Naam en adres van de fabrikant<br/>       Name und Anschrift des Herstellers<br/>       Nombre y dirección del fabricante<br/>       Nome e indirizzo del fabbricante<br/>       Nazwa i adres producenta<br/>       Denumirea și adresa producătorului</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <p>M.F.A. İŞ GÜVENLİĞİ MEDİKAL<br/>       TEKSTİL İMALAT TİCARET<br/>       SANAYİ LTD. ŞTİ.</p> <p>Çaydamar Mah. Ahmet Taner<br/>       Kışlalı Cad. ZİGEM No: 9/A,<br/>       Merkez, Zonguldak, Türkiye</p>                                                                                                                                                                                                                                                                  |
| <p>3. La présente déclaration de conformité est établie sous la seule responsabilité du fabricant<br/>       This declaration of conformity is issued under the sole responsibility of the manufacturer<br/>       Deze conformiteitsverklaring wordt op eigen verantwoording van de fabrikant verstrekt<br/>       Die alleinige Verantwortung für die Ausstellung dieser Konformitätserklärung trägt der Hersteller<br/>       La presente declaración de conformidad se expide bajo la exclusiva responsabilidad del fabricante<br/>       La presente dichiarazione di conformità è rilasciata sotto l'esclusiva responsabilità del fabbricante<br/>       Niniejszą deklarację zgodności wydaje się na wyłączną odpowiedzialność producenta<br/>       Prezenta declarație de conformitate este eliberată pe răspunderea exclusivă a producătorului</p>                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <p>4. Objet de la declaration<br/>       Object of the declaration<br/>       Voorwerp van de verklaring<br/>       Gegenstand der Erklärung<br/>       Objeto de la declaración<br/>       Oggetto della dichiarazione<br/>       Przedmiot deklaracji<br/>       Obiectul declarației</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <p>Masque / Mask / Masker / Masken /<br/>       Mascarilla / Maschera / Maskować /<br/>       Masca</p> <p><b>MFA</b></p>                                                                                                                                                                                                                                                                                                                                                       |
| <p>5. L'objet de la déclaration décrit au point 4 est conforme à la législation d'harmonisation de l'Union applicable:<br/>       The object of the declaration described in point 4 is in conformity with the relevant Union harmonisation legislation:<br/>       Het in punt 4 beschreven voorwerp is conform met de desbetreffende harmonisatiewetgeving van de Unie:<br/>       Der unter Nummer 4 beschriebene Gegenstand der Erklärung entspricht den einschlägigen Harmonisierungsrechtsvorschriften der Union:<br/>       El objeto de la declaración descrito en el punto 4 anterior es conforme con la legislación de armonización de la Unión aplicable:<br/>       L'oggetto della dichiarazione di cui al punto 4 è conforme alla pertinente normativa di armonizzazione dell'Unione:<br/>       Opisany w pkt 4 przedmiot niniejszej deklaracji jest zgodny z odpowiednimi wymaganiami unijnego prawodawstwa harmonizacyjnego:<br/>       Obiectul declarației descris la punctul 4 este în conformitate cu legislația armonizată relevantă a Uniunii:</p> <p><b>RÈGLEMENT / REGULATION / VERORDENING / VERORDNUNG / REGLAMENTO / REGOLAMENTO / ROZPORZĄDZENIE / REGULAMENTUL (EU) 2016/425</b></p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|
| <p>6. Références des normes harmonisées pertinentes appliquées ou des autres spécifications techniques par rapport auxquelles la conformité est déclarée:<br/>References to the relevant harmonised standards used, or references to the other technical specifications, in relation to which conformity is declared:<br/>Vermelding van de relevante toegepaste geharmoniseerde normen, met inbegrip van de datum van de norm, of van de andere technische specificaties, met inbegrip van de datum van de specificatie, waarop de conformiteitsverklaring betrekking heft:<br/>Angabe der verwendeten einschlägigen harmonisierten Normen oder sonstigen technischen Spezifikationen, für die die Konformität erklärt wird, einschließlich des Datums der Normen bzw. sonstigen technischen Spezifikationen:<br/>Referencias a las normas armonizadas aplicables utilizadas, incluidas sus fechas, o referencias a las otras especificaciones técnicas, incluidas sus fechas, respecto a las cuales se declara la conformidad:<br/>Riferimenti alle pertinenti norme armonizzate utilizzate, compresa la data della norma, o alle altre specifiche tecniche, compresa la data della specifica, in relazione alle quali è dichiarata la conformità:<br/>Odniesienia do właściwych norm zharmonizowanych, które zastosowano, wraz z datą normy, lub do innych specyfikacji technicznych, wraz z datą specyfikacji, w odniesieniu do których deklarowana jest zgodność<br/>Trimiteri la standardele armonizate relevante folosite, inclusiv data standardului, sau trimiteri la celelalte specificații tehnice, inclusiv data specificației, în legătură cu care se declară conformitatea</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <p><b>EN149:2001 +A1:2009</b></p> |
| <p>7. L'organisme notifié / The notified body / De aangemelde instantie / Die notifizierte Stelle / El organismo notificado / L'organismo notificato / Jednostka notyfikowana / Organismul notificat<br/><b>BSI Group The Netherlands B.V. John M. Keynesplein 9, 1066 EP, Amsterdam, The Netherlands, Notified Body Number is 2797.</b></p> <p>A effectué l'examen UE de type (module B) / Performed the EU type-examination (Module B) / Heeft het EU-typeonderzoek (module B) verricht / Hat die EU-Baumusterprüfung (Modul B) / Ha efectuado el examen UE de tipo (módulo B) / Ha svolto l'esame UE del tipo (modulo B) / przeprowadziła badanie typu UE (moduł B) / a efectuat examinarea UE de tip (modulul B)<br/>et a établi l'attestation d'examen UE de type CE 688360 / and issued the EU type-examination certificate CE 688360 / en het certificaat van EU-typeonderzoek CE 688360 / durchgeführt und die EU-Baumusterprüfbescheinigung CE 688360 / y ha expedido el certificado de examen UE de tipo CE 688360 / e ha rilasciato il certificato di esame UE del tipo CE 688360 / i wydata certyfikat badania typu UE CE 688360 / și a eliberat certificatul de examinare UE de tip CE 688360</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                   |
| <p>8. L'EPI est soumis à la procédure d'évaluation de la conformité: conformité au type sur la base de l'assurance de la qualité du mode de production (module D) sous la surveillance de l'organisme notifié <b>BSI Group The Netherlands B.V. John M. Keynesplein 9, 1066 EP, Amsterdam, The Netherlands, Notified Body Number is 2797. (Catégorie III)</b></p> <p>The PPE is subject to the conformity assessment procedure: conformity to type based on quality assurance of the production process (Module D) under surveillance of the notified body <b>BSI Group The Netherlands B.V. John M. Keynesplein 9, 1066 EP, Amsterdam, The Netherlands, Notified Body Number is 2797. (Category III)</b></p> <p>Het persoonlijk beschermingsmiddel is onderworpen aan de conformiteitsbeoordelingsprocedure Conformiteit met het type op basis van kwaliteitsborging van het productieproces (module D) onder toezicht van de aangemelde instantie <b>BSI Group The Netherlands B.V. John M. Keynesplein 9, 1066 EP, Amsterdam, The Netherlands, Notified Body Number is 2797. (Categorie III)</b></p> <p>Die PSA unterliegt folgendem Konformitätsbewertungsverfahren Konformität mit dem Baumuster auf der Grundlage einer Qualitätssicherung bezogen auf den Produktionsprozess (Modul D) unter Überwachung der notifizierten Stelle <b>BSI Group The Netherlands B.V. John M. Keynesplein 9, 1066 EP, Amsterdam, The Netherlands, Notified Body Number is 2797. (Kategorie III)</b></p> <p>El EPI está sujeto al procedimiento de evaluación de la conformidad: conformidad con el tipo basada en el aseguramiento de la calidad del proceso de producción (módulo D) bajo la supervisión del organismo notificado <b>BSI Group The Netherlands B.V. John M. Keynesplein 9, 1066 EP, Amsterdam, The Netherlands, Notified Body Number is 2797. (Categoría III)</b></p> <p>Il DPI è oggetto della procedura di valutazione della conformità: conformità al tipo basata sulla garanzia di qualità del processo di produzione (modulo D) sotto la sorveglianza dell'organismo notificato <b>BSI Group The Netherlands B.V. John M. Keynesplein 9, 1066 EP, Amsterdam, The Netherlands, Notified Body Number is 2797. (Categoria III)</b></p> <p>W stosownych przypadkach ŚOI podlegają procedurze oceny zgodności albo zgodności z typem w oparciu o zapewnienie jakości procesu produkcji (moduł D) pod nadzorem jednostki notyfikującej <b>BSI Group The Netherlands B.V. John M. Keynesplein 9, 1066 EP, Amsterdam, The Netherlands, Notified Body Number is 2797. (kategoria III)</b></p> |                                   |

După caz, EIP face obiectul procedurii de evaluare a conformității: conformitatea de tip bazată pe asigurarea calității procesului de producție (modulul D) sub supravegherea organismului notificat **BSI Group The Netherlands B.V. John M. Keynesplein 9, 1066 EP, Amsterdam, The Netherlands, Notified Body Number is 2797. (Categoria III)**

Signé par et au nom de:  
Signed for and on behalf of:  
Ondertekend voor en namens:  
Unterzeichnet für und im Namen von:  
Firmado por y en nombre de:  
Firmato a nome e per conto di:  
Podpisano w imieniu:  
Semnat pentru și în numele:

**Fatih FURTUN**



Date et lieu d'établissement:  
Place and date of issue:  
Plaats en datum van afgifte:  
Ort und Datum der Ausstellung:  
Lugar y fecha de expedición:  
Luogo e data del rilascio:  
Miejsce i data wydania:  
Locul și data eliberării:

**Zonguldak, TÜRKİYE, 25.01.2020**

# Prävention mit Kopf

Ihr starker Partner in schweren Zeiten.



Telefon: +49211/781 - 7511191  
Telefax : +49211/781 - 7511191  
Email: [info@praeventionmitkopf.de](mailto:info@praeventionmitkopf.de)  
[www.praeventionmitkopf.de](http://www.praeventionmitkopf.de)

**Prävention-mit-Kopf GmbH**  
DE- Grafenberger Allee 277-287 40237 Düsseldorf  
HRB 27734- Amtsgericht Koblenz  
Rechtsform: Gesellschaft m.b.H

**Commerzbank**  
IBAN: DE73570400440204493100  
BIC: COBADEFFXXX  
USt.-IdNr. DE337526020